

MERRYFAIR®




ISO 9001
Certified Company

Authorized Distributor : BIF Hong Kong Co., Ltd.

Tel. : (852) 2721 4284

Fax.: (852) 2827 9119

Email : info@bif.com.hk

 (852) 9542 3980



MERRYFAIR reserves the right to introduce modifications and withdraw models for continuous improvements without prior notice.

TREK

SEATING EXCELLENCE AT WORK

MERRYFAIR®



furniture


BIF

www.bif.com.hk

Worldwide Industrial Design Registered.

04-00321 (Malaysia), 000239207 (EU), 29/213.175 (USA), 200430065015.3 (China), 2004-0023194 (Korea), 192712 (India), 3-2004-000621 (Philippines), A00 2004 03236 (Indonesia), D2004/1837/A (Singapore), 093524 (Thailand), 94303932 (Taiwan)

Six out of ten adjustments on the Maxi
TREK do not require knobs or levers.
Just pull, lift or slide into desired position.



TREK High Performance Office Chair



Meet the family !



Maxi TREK
Full-feature ergonomic managerial chair
Model 089 YC A29 N2



Midi TREK
Full-feature ergonomic task chair
Model 088 YC A29 N2



Mini TREK
Low-back typist chair
Model 086 SH G30 N2



Roller TREK
Portable chair for flexible work-spaces
and quick meetings.
Model 082 NA G30 N4



VisiTREK
Sturdy sled base chair
for office visitors
Model 081 NA G30 S



Side TREK
Height-adjustable ottoman as
a footrest, or a visitor stool, or
a worktop for notebook computers.
Model 080 HB A00 N2

Specifications

Trek provides superior ergonomics for 90% of the population, from the petite 150cm assistant at accounts, to the 185cm giant at shipping. In fact, TREK is designed to meet BIFMA requirements on chair dimensions.

HEADREST

The height of the headrest can be easily adjusted by just lift the headrest to the desired position. Adjustable range: 105mm

BACK SHELL

Glossy shell made of transparent polycarbonate are not only beautiful, but virtually unbreakable.

ARMRESTS

3-way adjustable armrest. The height of the armrests can be easily adjusted by just lift the armrests to suit the user's desk or body type. The armpad can be move forward or back and swivels into 240 wide angular positions to allow the user to rest their arms easily.

BASE

Optional die-cast aluminium base in silver epoxy powder-coating or in a luxurious polished finished.



HEADREST

Free-tilting cushioned headrest, can be set at any position forward or back according to the user's preference. Moveable range: 30°

BACKREST

A breathable polyester mesh suspension allows improved ventilation, to provide exceptional thermal comfort. The height of the backframe can be easily adjusted by just lift the frame to the desired position. Adjustable range : 105mm

LUMBAR SUPPORT PAD



Lumbar support can be conveniently adjusted by side knobs, without getting up from chair, to customized the exact support for various spinal shapes. Moveable range: 20mm

CHAIR MECHANISM

Synchronized mechanism with tilt tension control, multi position tilt lock, and pneumatic seat height control.

BASE

Standard base is moulded of polypropylene in black colour.



Glossy shells made of transparent polycarbonate are not only beautiful, but virtually unbreakable.



Model	Standard Features	Dimensions(mm)
Maxi Trek 089 YC A29 N2		
Midi Trek 088 YC A29 N2		
Mini Trek 086 SH G30 N2		
Roller Trek 082 NA G30 N4		
Visi Trek 081 NA G30 S		
Side Trek 080 HB A00 N2		




ERGO

The TREK product family offers many models to address specific seating requirements. Whether an ergonomic executive chair for intensive 9-to-5 use, or a cost-effective sled chair for the occasional visitor, or a portable roller chair for temporary workspaces. Every model shares the same design language to guarantee a consistent style within the office.



Trek : specifications

Armrest



Fixed armrest **G30**



Height adjustable armrest **A29**
with 3-way adjustable armpad

Mechanism



Spring Head **SH**
Mechanism



Synchronized **YC**
Mechanism

Base



350 Studio Base **N2**
(Black)



350 Aluminium Base **U1**
(Silver)



Roller Base **N4**
(Silver)



Cantilever Base **S**
(Silver)

